








Stair Nosing










We offer you a combination of profiles to suit all types of stairs and installation requirements. Carpet, laminate, tile or vinyl solutions can be found and we even produce bespoke profiles and offer comprehensive drilling, forming and finishing services.

Excellent technical support for installations and materials is available.





CODE	FINISH	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NSL01	01, 109, 113, 16, 20, 25, 27, 28, 30, 43, 44, 46, 47, 48, 52	Slimline Aluminium Nosings	56	32			
NSL02	01, 109, 16, 20, 25, 27, 28, 30, 43, 44, 46, 47, 48, 52, 113	Slimline Aluminium Nosings	57	32			
NSL03	01, 109, 113, 16, 20, 25, 27, 28, 30, 43, 44, 46, 47, 48, 52	Slimline Aluminium Nosings	57	40			
NSL09	01, 109, 16, 20, 25, 27, 28, 30, 43, 44, 46, 47, 48, 52	Slimline Aluminium Nosings	85	32			
NSL10	01, 109, 16, 20, 25, 27, 28, 30, 43, 44, 46, 47, 48, 52	Slimline Aluminium Nosings	85	32			
NSL15	01, 109, 113, 16, 20, 25, 27, 28, 30, 43, 44, 46, 47, 48, 52	Slimline Aluminium Nosings	66	32			
NSL16	01, 109, 113, 16, 20, 25, 27, 28, 30, 43, 44, 46, 47, 48, 52	Slimline Aluminium Nosings	66	32			
NSL19	01, 109, 113, 16, 20, 25, 27, 28, 30, 43, 44, 46, 47, 48, 52	Slimline Aluminium Nosings	56	55			
NSL20	01, 109, 113, 16, 20, 25, 27, 28, 30, 43, 44, 46, 47, 48, 52	Slimline Aluminium Nosings	57	55			
NSL21	01, 109, 16, 20, 25, 27, 28, 30, 43, 44, 46, 47, 48, 52, 113	Slimline Aluminium Nosings	67	55			
NSL25	01, 109, 113, 16, 20, 25, 27, 28, 30, 43, 44, 46, 47, 48, 52	Slimline Aluminium Nosings	69	40			
NSL26	01, 109, 113, 16, 20, 25, 27, 28, 30, 43, 44, 46, 47, 48, 52	Slimline Aluminium Nosings	67	55			
NSL27	01,16,20,25,27,28,30,43,44,46,47,48,52, 109,113	Slimline Aluminium Nosings	69	55			
NSL28	01,16,20,25,27,28,30,43,44,46,47,48,52, 109,113	Slimline Aluminium Nosings	69	55			
NSL29	01,16,20,25,27,28,30,43,44,46,47,48,52, 109	Slimline Aluminium Nosings	87	40			
Available in 2.46m, 2.77m, 3.22m							








Channel


Anodising - Maximum length 3m




Insert




External Tredsafe® Inserts



Finishes







CODE	FINISH	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NHD05	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Heavy Duty Aluminium Nosings	60	32			
NHD06	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Heavy Duty Aluminium Nosings	63	32			
NHD07	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Heavy Duty Aluminium Nosings	70	40			
NHD08	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Heavy Duty Aluminium Nosings	71	55			
NHD11	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Heavy Duty Aluminium Nosings	91	32			
NHD12	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Heavy Duty Aluminium Nosings	93	32			
NHD13	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Heavy Duty Aluminium Nosings	91	35			
NHD17	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Heavy Duty Aluminium Nosings	60	55			
NHD22	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Heavy Duty Aluminium Nosings	72	55			
NHD24	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Heavy Duty Aluminium Nosings	60	55			
NNL01	80	Carpet Connector	40	10			
NNL02	80	Ramp Connector	20	3,5	3,22		

Available in 2.46m, 2.77m, 3.22m


Channel




Anodising - Maximum length 3m





Insert




External Tredsafe® Inserts



Finishes







AHD11



AHD23




CODE	FINISH	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
AHD05	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Aluminator™ Heavy Duty Nosings	60	32			
AHD06	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Aluminator™ Heavy Duty Nosings	63	32			
AHD07	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Aluminator™ Heavy Duty Nosings	70	40			
AHD08	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Aluminator™ Heavy Duty Nosings	71	55			
AHD11	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Aluminator™ Heavy Duty Nosings	91	32			
AHD12	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Aluminator™ Heavy Duty Nosings	93	32			
AHD13	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Aluminator™ Heavy Duty Nosings	91	35			
AHD17	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Aluminator™ Heavy Duty Nosings	60	55			
AHD22	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Aluminator™ Heavy Duty Nosings	72	55			
AHD24	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Aluminator™ Heavy Duty Nosings	60	55			
AHD23	16	Aluminator™ Heavy Duty Nosings	68	33	3,00	10	
Available in 2.46m, 2.77m, 3.22m							



Channel


Anodising - Maximum length 3m




Channel (AHD23)





Insert





External Tredsafe® Inserts





Finishes






CODE	FINISH	DESCRIPTION	H(mm)	W (mm)	D (mm)	L (m)	BOX
NSA290	16, 20, 46, 48	Stair Edge Trim Pre-Formed / Landing Strip (PVC)			42	0,35	10
NSA290	80	Stair Edge Trim Pre-Formed / Landing Strip (Alluminium)			42	0,35	10
NSA283	16, 20, 46, 48	Stair Edge Trim Pre-Formed / Landing Strip (PVC)			42	0,35	10
NSA283	80	Stair Edge Trim Pre-Formed / Landing Strip(Alluminium)			42	0,35	10
NTAB1		Stair Edge Trim Clips (NSA / NTL)			4,5/7		20
NTL1	16, 20, 46, 48	Landing strip			42	2,50	10
NTL1	80	Landing strip			42	2,50	10




Heavy Duty




CODE	FINISH	DESCRIPTION	H(mm)	W (mm)	D (mm)	L (m)	BOX
NHP	16,20,46,48	Hard Nose P.V.C	65	33	3,22		
NRP	16,20,46,48	Hard Nose P.V.C	65	33	3,22		
NHB	16,20,46,48	Hard Nose P.V.C	65	32	3,22		
NSP	16,20,46,48	Hard Nose P.V.C	60	31	3,22		
NSR	16,20,46,48	Hard Nose P.V.C	59	31	3,22		
NSB	16,20,46,48	Hard Nose P.V.C	60	31	3,22		


Slimline




Channel






Insert





CODE	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NFL02.16	Flexible P.V.C. Nosings	50	30	3,22		
NFL03.16	Flexible P.V.C. Nosings	60	37	3,22		




CODE	FINISHES	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NTC10	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Heavy Duty Ceramic Tile-In Nosing	74	10	3,22		
NTC12	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Heavy Duty Ceramic Tile-In Nosing	74	12,5	3,22		
ATC10	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Aluminator™	74	10	3,22		
ATC12	01,16,20,25,27,28,30,43,44,46,47,48,52,109	Aluminator™	74	12,5	3,22		
NTC10		Tredsafe	74	10	3,22		
NTC12		Tredsafe	74	12,5	3,22		


Channel







Insert



External Tredsafe® Inserts





Finishes







CODE	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NRA258.81	Aluminium Retro-Fit	24	19	2,80	20	
NRA258.83	Aluminium Retro-Fit	24	19	2,80	20	
NRA50.80	Aluminium Retro-Fit	50	30	2,77	10	



CODE	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NAS207.40	Aluminium Self Adhesive Retro-Fit	30	20	2,70	10	
NAS207.81	Aluminium Self Adhesive Retro-Fit	30	20	2,70	10	
NAS207.83	Aluminium Self Adhesive Retro-Fit	30	20	2,70	10	
NAS209.40	Aluminium Self Adhesive Retro-Fit	30	20	0,90	10	
NAS209.81	Aluminium Self Adhesive Retro-Fit	30	20	0,90	10	
NAS209.83	Aluminium Self Adhesive Retro-Fit	30	20	0,90	10	
NAS107.40	Aluminium Self Adhesive Retro-Fit	25	10	2,70	10	
NAS107.81	Aluminium Self Adhesive Retro-Fit	25	10	2,70	10	
NAS107.83	Aluminium Self Adhesive Retro-Fit	25	10	2,70	10	
NAS109.40	Aluminium Self Adhesive Retro-Fit	25	10	0,90	10	
NAS109.81	Aluminium Self Adhesive Retro-Fit	25	10	0,90	10	
NAS109.83	Aluminium Self Adhesive Retro-Fit	25	10	0,90	10	




CODE	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NRE05.16	Aluminium Nosing with Black Rubber Insert	54	30	2,77	10	






CODE	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NLM103.81	Aluminium Tile-In	26	10	3,00	10	
NLM123.81	Aluminium Tile-In	26	12	3,00	10	
NLM108.81 ☞	Aluminium Tile-In	26	10	2,80	10	
NLM128.81 ☞	Aluminium Tile-In	26	12	2,80	10	


☞ subject to stock availability



81 Matt Silver




CODE	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
ALM106.81	Aluminium Tile-In Aluminator™	26	10,5	2,60	10	
ALM126.81	Aluminium Tile-In Aluminator™	26	12,5	2,60	10	



81 Matt Silver



CODE	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NFA125.81	Aluminium Formable 2 in 1	3	10/12	2,60	20	
NFA125.91	Aluminium Formable 2 in 1	3	10/12	2,60	20	




81 Matt Silver



91 Bright Silver



CODE	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NAT105.81	Aluminium Tile-In Bullnose	37	10	2,60	20	
NAT105.91	Aluminium Tile-In Bullnose	37	10	2,60	20	
NAT125.81	Aluminium Tile-In Bullnose	37	12	2,60	20	
NAT125.91	Aluminium Tile-In Bullnose	37	12	2,60	20	




81 Matt Silver




91 Bright Silver



CODE	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NIB106.16	Light Traffic Aluminium Stair Grip + PVC Top and End Caps	30	10	2,60	10	
NIB106.35	Light Traffic Aluminium Stair Grip + PVC Top and End Caps	30	10	2,60	10	
NIB126.16	Light Traffic Aluminium Stair Grip + PVC Top and End Caps	30	12	2,60	10	
NIB126.35	Light Traffic Aluminium Stair Grip + PVC Top and End Caps	30	12	2,60	10	
NUC102.16	Light Traffic Aluminium Stair Grip + PVC Top and End Caps					set 2 pc
NUC102.35	Light Traffic Aluminium Stair Grip + PVC Top and End Caps					set 2 pc



CODE	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NLC106.81	Aluminium Tile-In with Carbide Insert	26	10	2,60	10	
NLC126.81	Aluminium Tile-In with Carbide Insert	26	12,5	2,60	10	



CODE	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NSS106.84	Stainless Steel Tile-In Nosing	25	10	2,60	10	
NSS126.84	Stainless Steel Tile-In Nosing	25	12	2,60	10	



CODE	DESCRIPTION	H (mm)	W (mm)	D (mm)	L (m)	BOX
NLT108.81	Aluminium Tile-In Step Edge	19	10	2,80	10	

